

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	250/368 and ((light adj guide) and resin and cured and scintillator). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:16
S17	9	(radiation adj (detect\$5 or sensor)) and scintillator and ((expoxy or acrylic) adj resin) and (groove or slit) and transparent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:12
S18	63	(radiation adj (detect\$5 or sensor)) and scintillator and ((expoxy or acrylic) adj resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:41
S20	56	(radiation adj (detect\$5 or sensor)) and scintillator and ((expoxy or acrylic) adj resin) and (frame or lattice or body or casing or structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 18:05
S29	82	mold with (lightguide or (light adj guide)) and resin and (detect\$5 or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 21:50
S30	181	mold\$5 with (lightguide or (light adj guide)) and resin and (detect\$5 or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:21
S31	53	(mold\$5 with resin) with (lightguide or (light adj guide)) and (detect\$5 or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 17:22
S32	32	(mold\$5 with resin) with (lightguide or (light adj guide)) and (detect\$5 or sensor) and (frame or wall or slit or partition or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:51
S33	110407	"264"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:51
S36	360	S33 and (light adj guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:53

S37	35	S33 and ((light adj guide) with resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:59
S41	61	((mold\$5 or cured) with resin) with (lightguide or (light adj guide)) and (detect\$5 or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:34
S45	766	250/370.11	USPAT	OR	OFF	2005/12/21 16:22
S46	42	250/370.11 and (light adj guide)	USPAT	OR	OFF	2005/12/21 17:21
S47	4	(mold\$5 with resin) with (lightguide or (light adj guide)) and (detect\$5 or sensor) and slit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 17:22
S48	29	(radiation adj (detect\$5 or sensor)) and scintillator and ((expoxy or acrylic) adj resin) and (frame or lattice or body or casing or structure or slit) and (cured or hard\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 21:34
S50	1	(radiation adj (detect\$5 or sensor)) and scintillator and (frame or lattice or body or casing or structure or slit) and (cured or hard\$5) and ((lightguide or light adj guide) with((expoxy or acrylic) adj resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 21:34
S51	13	(radiation adj (detect\$5 or sensor)) and ((lightguide or (light adj guide)) with ((expoxy or acrylic) adj resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 21:40
S52	32	(radiation adj (detect\$5 or sensor)) and ((lightguide or (light adj guide)) with resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 21:40
S54	16	(lightguide or (light adj guide)) and resin and (detect\$5 or sensor) and scintillator and (photo-multipliers or (photo\$5 adj multipl\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 21:51
S56	1	"5349191".pn.	USPAT	OR	OFF	2005/12/21 22:45
S57	743	250/368	USPAT	OR	OFF	2005/12/21 22:45
S58	100	250/368 and (light adj guide) and (sensor or detect\$4)	USPAT	OR	OFF	2005/12/21 22:45
S59	25	250/368 and (light adj guide) and (sensor or detect\$4) and resin	USPAT	OR	OFF	2005/12/21 23:00

S60	33	250/368 and (light adj guide) and (sensor or detect\$4) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 23:04
S61	1	((light adj guide) and integrally and resin and cured and scintillator).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 23:05
S62	3	((light adj guide) and resin and cured and scintillator).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:15